

# MULTIDRILL XL DR




**ITALIAN** DRILLING RIGS  
MANUFACTURERS SINCE 1964





## Dimensions



I dati esposti sul presente catalogo possono variare senza preavviso - Specifications may change without notice

| MOTORE DIESEL                          | DIESEL ENGINE               |                                                                                                         |
|----------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------|
| Potenza                                | Power                       | CAT C4.4 - Stage V - Tier 4 F - 129,4 Kw (173,5 Hp)<br>CAT C7.1 - Stage IIIA - Tier 3 - 129 Kw (173 Hp) |
| ANTENNA                                | MAST                        |                                                                                                         |
| Corsa testa di rotazione               | Rotary head stroke          | 3700 mm (12,1 ft)                                                                                       |
| Tiro                                   | Pull-up                     | 12000-14000-18000 daN (26977-31473-40465 lbf)                                                           |
| Spinta                                 | Pull-down                   | 6800-8000-13000 daN (15287-17984-29225 lbf)                                                             |
| TESTA ROTANTE PER ASTE                 | ROTARY HEAD FOR DRILL PIPES |                                                                                                         |
| Coppia max.                            | Max. torque                 | 1180 daNm (8703 ft lbf)                                                                                 |
| Velocità max.                          | Max. speed                  | 160 rpm                                                                                                 |
| TESTA ROTANTE PER TUBO DI RIVESTIMENTO | ROTARY HEAD FOR CASING      |                                                                                                         |
| Coppia max.                            | Max. torque                 | 2700 daNm (19914 ft lbf)                                                                                |
| Velocità max.                          | Max. speed                  | 70 rpm                                                                                                  |
| MORSA                                  | CLAMP                       |                                                                                                         |
| Diametro                               | Diameter                    | 60-350 mm (2,3"-13,8")                                                                                  |
| PESO                                   | WEIGHT                      | ~12780 Kg (~28175 lbf)                                                                                  |

# MD XL DR

Double Head,  
Double Power.





# MD XL DR

## Double Head, Double Power.



### ACCESSORI - ACCESSORIES

|                        |                      |                                                 |
|------------------------|----------------------|-------------------------------------------------|
| Verricello             | Main Winch           | 3600 daN - 35 mt/min - (8093 lbf - 115 ft/min)  |
| Verricello wire line   | Wire line winch      | 1000 daN - 100 mt/min - (2248 lbf - 328 ft/min) |
| Pompa Triplex          | Triplex pump         | 200 lt/min - 70 bar - (53 gpm - 1015 psi)       |
| Pompa monovite         | Screw pump           | 900 lt/min - 14 bar - (159 gpm - 174 psi)       |
| Pompa schiuma          | Foam pump            | 80 lt/min - 40 bar - (21 gpm - 580 psi)         |
| Lubrificatore di linea | Line lubricator      | 8,5 lt/min (2,25 gpm)                           |
| Radiocomando           | Remote radio control | -                                               |

ALTRI OPTIONAL DISPONIBILI A RICHIESTA - OTHER OPTIONALS ARE AVAILABLE ON REQUEST



© FRASTE Creative Department - cat.ver.3/2024